

Боры алмазные

STANDARD
105–125 µm

ШАРИК

ML 524

Fig. No.
ISO Ø 1/10 mm
Head L mm

доступные размеры
зернистости

ISO 001 524 009	ISO 001 524 010	ISO 001 524 012	ISO 001 524 014	ISO 001 524 016	ISO 001 524 018	ISO 001 524 020	ISO 001 524 023	ISO 001 524 027	ISO 002 524 012	ISO 002 524 014	ISO 002 524 016	ISO 002 524 018	ISO 010 524 010	ISO 010 524 012	ISO 010 524 014	ISO 010 524 023	ISO 225 524 010
801 009 ML	801 010 ML*	801 012 ML	801 014 ML*	801 016 ML	801 018 ML*	801 020 ML	801 023 ML	801 027 ML	802 012 2.3ML	802 014 2.3ML	802 016 2.3ML	802 018 2.3ML	805 010 0.8ML	805 012 0.9ML*	805 014 1.4ML	805 023 2.1ML	807 010 3.5ML

ШАРИК С ЮБКОЙ

ОБРАТНЫЙ КОНУС

ДВОЙНОЙ ОБРАТНЫЙ КОНУС

ОККЛЮЗИОННЫЙ

СЛИВКА

ISO 225 524 012	ISO 225 524 018	ISO 019 524 010	ISO 019 524 012	ISO 019 524 014	ISO 019 524 016	ISO 032 524 010	ISO 032 524 014	ISO 032 524 018	ISO 038 524 031	ISO 038 524 033	ISO 039 524 037	ISO 033 524 027	ISO 357 524 016	ISO 357 524 020	ISO 357 524 023	ISO 377 524 014	ISO 377 524 016	ISO 377 524 018	ISO 377 524 023	ISO 374 524 014
807 012 3.5ML	807 018 5ML	806 010 2.2ML	806 012 2.2ML	806 014 2.2ML	806 016 2.5ML	813 010 1.5ML	813 014 1.5ML	813 018 2ML	811 031 4.2ML	811 033 5ML	811 037 7ML	899 027 7ML	368 016 3.5ML	368 020 5ML	368 023 5ML*	379 014 3ML	379 016 3.5ML	379 018 3.5ML	379 023 5ML*	390 014 3ML*

STANDARD
105–125 µm

МЕЖПРОКСИМАЛЬНЫЙ

КОЛЕСОВИДНЫЙ

МАРКЕР ГЛУБИНЫ

КАПЕЛЬКА

УДЛЕНЕННАЯ

ML 524

Fig. No.
ISO Ø 1/10 mm
Head L mm

доступные размеры
зернистости

ISO 465 524 016	ISO 465 524 016 8.0	ISO 465 524 018	ISO 465 524 021	ISO 068 524 040	ISO 068 524 045	ISO 068 524 055	0.3 mm	0.5 mm	0.7 mm	0.3 mm	0.5 mm	ISO 233 524 010	ISO 233 524 012	ISO 233 524 014	ISO 233 524 016	ISO 234 524 010	ISO 234 524 012
392 016 6ML	392 016 8ML	392 018 8ML	392 021 10ML	909 040 1.5ML	909 045 1.5ML	909 055 2ML	828 022 1ML	828 026 1ML	828 030 1ML	834 016 6.8ML	834 021 6.8ML	830 010 2.7ML*	830 012 2.7ML*	830 014 2.7ML	830 016 2.7ML*	830L 010 4ML*	830L 012 4ML*






1 piece/package

КАПЛЯ

ЗАКРУГЛЕННЫЙ КОНУС

ISO 234 524 014	ISO 234 524 016	ISO 234 524 018	ISO 234 524 020	ISO 234 524 026	ISO 194 524 009	ISO 194 524 012	ISO 194 524 016	ISO 194 524 025	ISO 197 524 010	ISO 197 524 012	ISO 197 524 014	ISO 197 524 016	ISO 197 524 025	ISO 198 524 012	ISO 198 524 014 8.0 N	ISO 198 524 014 8.0	ISO 198 524 016 8.0 N	ISO 198 524 016 8.0	ISO 198 524 018 8.0	ISO 198 524 014 9.0
830L 014 5ML*	830L 016 5ML*	830L 018 5ML	830L 020 5ML	830L 026 7ML	849 009 4ML	849 012 4ML	849 016 4ML	849 025 4ML	855 010 6ML	855 012 6ML	855 014 6ML	856 016 7ML	856 025 7ML	856 012 8ML	856N 014 8ML*	856 014 8ML*	856N 016 8ML*	856 016 8ML*	856 018 8ML*	856 014 9ML*

																				
856 016 9M L*	856 018 9M L*	856 021 9M L	856 025 8M L	856L 012 10ML	856L 014 9M L	856L 014 10ML	856L 016 10ML	856L 018 11ML	856L 021 9ML	856XL 016 12ML	856XL 018 12ML	850 018 8ML	850 012 10ML	850N 014 10ML	850 014 10ML	850 016 10ML	850 018 10ML	850 023 10ML	850L 016 12ML	850L 018 12ML
																				





Боры алмазные

STANDARD
105–125 µm

ТОРЦЕВОЙ

УСЕЧЕННЫЙ КОНУС

ML 524

Fig. No.
ISO Ø 1/10 mm
Head L mm

доступные размеры
зернистости

ISO 150 524 010	ISO 150 524 012	ISO 150 524 014	ISO 168 524 010	ISO 168 524 012	ISO 168 524 014	ISO 168 524 016	ISO 171 524 012	ISO 171 524 014	ISO 171 524 016	ISO 171 524 016 70	ISO 171 524 018	ISO 171 524 023	ISO 172 524 012	ISO 172 524 014	ISO 172 524 016	ISO 172 524 018	ISO 172 524 025
839 010 ML	839 012 ML	839 014 ML	845 010 4M L*	845 012 4M L*	845 014 4ML	845 016 4ML	846 012 6M L*	846 014 6ML	846 016 6ML	846 016 7M L*	846 018 7ML	846 023 7ML	847 012 8M L	847 014 8M L*	847 016 8M L*	847 018 8M L*	847 025 8ML

ФИССУРА

ISO 297 524 021	ISO 298 524 010	ISO 298 524 012	ISO 298 524 014	ISO 298 524 016	ISO 298 524 018	ISO 298 524 021	ISO 299 524 012	ISO 299 524 014	ISO 299 524 016	ISO 299 524 018	ISO 299 524 021	ISO 210 524 018	ISO 107 524 008	ISO 107 524 010	ISO 107 524 012	ISO 107 524 014	ISO 107 524 016	ISO 110 524 012	ISO 110 524 014	ISO 110 524 016
877K 021 6ML	878K 010 8M L*	878K 012 8M L*	878K 014 8M L*	878K 016 8M L*	878K 018 8M L*	878K 021 8ML	879K 012 10ML	879K 014 10ML	879K 016 10ML	879K 018 10ML	879K 021 10ML	886K 018 9.5ML	835 008 3M L*	835 010 4M L*	835 012 4M L*	835 014 4M L*	835 016 4ML	836 012 6ML	836 014 6M L*	836 016 6ML

STANDARD
105–125 µm

УДЛИНЕННАЯ ЗАКРУГЛЕННАЯ ФИССУРА

КОНУС

ML 524

Fig. No.
ISO Ø 1/10 mm
Head L mm

доступные размеры
зернистости

ISO 141 524 010	ISO 141 524 012	ISO 141 524 014	ISO 141 524 016	ISO 142 524 012	ISO 142 524 014	ISO 164 524 008	ISO 164 524 012	ISO 164 524 014	ISO 164 524 016	ISO 165 524 012	ISO 165 524 014	ISO 165 524 016	ISO 166 524 010	ISO 166 524 012	ISO 166 524 014	ISO 166 524 016	ISO 166 524 018
881 010 8M L*	881 012 8M L*	881 014 8M L*	881 016 8M L*	882 012 10ML	882 014 10ML	853 008 3.5ML	852 012 6ML	852 014 6ML	852 016 6ML	858 012 8M L*	858 014 8M L*	858 016 8M L*	859 010 10ML	859 012 10ML	859 014 10ML	859 016 10ML	859 018 10ML

COARSE
150 µm

MLX 534

Fig. No.
ISO Ø 1/10 mm
Head L mm

доступные размеры
зернистости

ISO 001 534 018	ISO 001 534 023	ISO 038 534 033	ISO 257 534 023	ISO 277 534 023	ISO 068 534 040	ISO 068 534 045	ISO 068 534 055	ISO 234 534 014	ISO 234 534 016	ISO 234 534 020	ISO 194 534 025	ISO 197 534 014	ISO 197 534 016	ISO 197 534 025	ISO 198 534 014	ISO 198 534 016	ISO 198 534 018
801 018 MLX	801 023 MLX	811 033 5MLX	368 023 5ML X*	379 023 5ML X*	909 040 1.5MLX	909 045 1.5MLX	909 055 2MLX	830L 014 5MLX	830L 016 5MLX	830L 020 5MLX	849 025 4MLX	855 014 6MLX	856 016 7MLX	856 025 7MLX	856N 014 8ML X*	856 016 8ML X*	856 018 8ML X*

1 piece/pack

КОНУС

БОРОЗДАТЫЙ ЦИЛИНДР

КОНУС - КАРАНДАШ

ISO 172 534 018	ISO 172 534 025	ISO 173 534 014	ISO 173 534 016	ISO 173 534 018	ISO 173 534 023	ISO 173 534 031	ISO 6051 534 018	ISO 6052 534 018	ISO 6053 534 018	ISO 6054 534 018	ISO 6055 534 018	ISO 6056 534 018	ISO 297 534 016	ISO 297 534 018	ISO 297 534 021	ISO 298 534 014	ISO 298 534 016	ISO 298 534 018	ISO 298 534 021	ISO 299 534 016
847 018 8MLX *	847 025 8MLX	848 014 10MLX	848 016 10MLX	848 018 10MLX	848 023 10MLX	848 031 10MLX	6051 018 6MLX	6052 018 8MLX	6053 018 10MLX	6054 018 6MLX	6055 018 8MLX	6056 018 10MLX	877K 016 6MLX	877K 018 6MLX	877K 021 6MLX	878K 014 8ML X*	878K 016 8ML X*	878K 018 8ML X*	878K 021 8MLX	879K 016 10MLX

ФИССУРА									ЗАКРУГЛЕННАЯ ФИССУРА			ПЛАМЯ		ШАРИК	
															
879K 018 10MLX	879K 021 10MLX	835 014 4MLX	836 014 6MLX	836 016 6MLX	836 018 6MLX	837 014 8MLX	837 016 8MLX	837 018 8MLX	880 014 6ML X*	881 014 8ML X*	881 016 8ML X*	862 016 10ML X*	801 018 F	801 023 F	
FINE 45 µm															
F 514															
Fig. No. ISO Ø 1/10 mm Head L mm															
доступные размеры зернистости															



FINE 45 μm	ЗАКРУГЛЕННЫЙ КОНУС					ФИССУРА - КАРАНДАШ										УСЕЧЕННЫЙ КОНУС	
	856 025 7F	856L 018 11F	850 012 10F	850 014 10F	850 018 10F	884 012 6F	885 012 8F	885 014 8F	886 012 10F	886 014 10F	886 016 10F	877 010 6F	878 010 8F	878 012 8F*	879 012 10F	879 014 10F*	845 012 4F
F 514																	
Fig. No. ISO Ø 1/10 mm Head L mm																	
доступные размеры зернистости																	

ЗАКРУГЛЕННАЯ ФИССУРА					КОНУС					ПЛАМЯ				
836R 014 6F	837R 012 8F	837R 014 8F	880 012 6F	881 012 8F	881 016 8F	852 012 6F	852 016 6F	858 012 8F	858 014 8F	858 016 8F	859 010 10F	859 012 10F	859 014 10F	859 018 10F


ШАРИК					СЛИВКА					КАПЕЛЬКА					КОНУС				
801 016 XF	801 018 XF	801 023 XF	368 016 3.5XF	368 020 5XF	368 023 5XF	379 014 3XF	379 016 3.5XF	379 023 5XF	379 023 5XF	390 014 3XF	830 012 2.7XF	830 014 2.7XF	830L 012 4XF	830L 014 5XF	853 008 3.5XF	852 012 6XF	852 016 6XF	852 016 6XF	858 012 8XF
EXTRA FINE 25 µm																			
XF 504																			
Fig. No. ISO Ø 1/10 mm Head L mm																			
доступные размеры зернистости																			

ШАРИК					СЛИВКА					КОНУС				
801 010 UF	801 018 UF	801 023 UF	368 016 3.5UF	368 020 5UF	368 023 5UF	379 023 5UF	390 014 3UF	853 008 3.5UF	852 012 6UF	852 016 6UF	858 012 8UF	859 010 10UF	859 014 10UF	859 018 10UF
ULTRA FINE 15 µm														
UF 494														
Fig. No. ISO Ø 1/10 mm Head L mm														
доступные размеры зернистости														



Боры алмазные

СЛИВКА							МЕЖПРО-КСИМА-ЛЬНИЙ	КАПЕЛЬКА				ЗАКРУГЛЕННЫЙ КОНУС			
															
368 016 3.5F	368 020 5F	368 023 5F	379 014 3F	379 016 3.5F	379 023 5F	390 014 3F	392 016 8F	830 012 2.7F	830 014 2.7F	830 016 2.7F	830L 012 4F	856 014 8F	856 016 8F	856 018 8F	856 021 9F

КОНУС - КАРАНДАШ												ФИССУРА									
																					
847 016 8F	848 014 10F	848 016 10F	845R 016 4F	845R 025 4F	846R 016 6F	847R 016 8F	878K 012 8F	878K 014 8F	878K 016 8F	878K 018 8F	879K 018 10F	837 012 8F	842 014 12F	835R 008 3F	835R 010 4F	835R 012 4F	835R 014 4F	836R 008 6F	836R 010 6F	836R 012 6F	

ACORN								
								
862 016 8F	863 012 10F	863 016 10F	864 014 12F	889 009 3.5F	905 023 2.7F	905 027 2.9F	905 031 3.1F	905 031 3.1F

ПЛАМЯ														ACORN						
																				
858 014 8XF	859 010 10XF	859 014 10XF	859 018 10XF	859 024 10XF	860 012 5XF	860 014 5XF	860 014 9XF	862 010 8XF	862 012 8XF	862 016 8XF	863 012 10XF	863 016 10XF	889 009 3.5XF	873 014 2XF	874 008 3XF	874 010 2XF	874 012 2XF	905 023 2.7XF	905 027 2.9XF	905 031 3.1XF
																				

ПЛАМЯ			
			
862 010 8UF	862 012 8UF	862 016 8UF	863 012 10UF